
Subject: Help w/Plotting

Posted by [akk](#) on Fri, 11 Jun 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have a graph of measurements vs time. Both my MeasurementArray and TimeArray have 55924 elements with measurements taken on the hour for 8 years (1973-1980). I would also like to indicate on the xaxis the years as they correspond to the time (i.e. After the first year's of data have 1973 on the x axis and so on)

However I am having some trouble figuring out how to do this. I have tried using the axis procedure and graphing:

```
YearsArray = [1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980]
Plot, TimeArray, MeasurementArray
    axis, xaxis = 0, xticks = 7, xtickn = YearsArray, xtitle =
'Yr', xcharsize = 0.9
```

However, since measurements were only first collected in October 1973, dividing the xaxis into 8 even parts would not accurately relate the years to the Measurements.

I also tried creating another array TimeArrayNew which has the year markers (i.e. 1973, 1974 etc) placed in the corresponding time slots:

```
YearsArray = [1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980]
YearIndex = where(TimeArray GT 365.86 and TimeArray LT 365.9,
count)
print, 'Count: ', count
NumElem = n_elements(Final_Time)
TimeArrayNew = intarr(NumElem) ; Initialize Array of size NumElem
to ZERO
TimeArrayNew(YearIndex) = YearsArray
Plot, TimeArray, MeasurementArray
    axis, xaxis = 0, xticks = NumElem-1, xtickn = TimeArrayNew, xtitle
= 'Yr', xcharsize = 0.9
```

Note: NumElem equals 55924

However this yields as an error b/c XTICKN can only have 60 elements:

ERROR: %Keyword array parameter XTICKNAME must have from 1 to 60 elements.

I'm looking for suggestions on can plot the measurements vs time while also indicating the corresponding Years along the X Axis:

Thanks
(please reply to my email address)

p.s. Also could someone suggest a good IDL website for beginners

anilk@mtolympus.ari.net

"Internet or BUST !!"

Subject: Re: Help w/Plotting
Posted by [R.Bauer](#) on Tue, 15 Jun 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Anil Kochhar wrote:

> Hi,
>
> I have a graph of measurements vs time. Both my MeasurementArray and
> TimeArray have 55924 elements
> with measurements taken on the hour for 8 years (1973-1980). I would
> also like to
> indicate on the xaxis the years as they correspond to the time (i.e. After
> the first
> year's of data have 1973 on the x axis and so on)
> However I am having some trouble
> figuring out how to do this. I have tried using the axis procedure and
> graphing:
>
> YearsArray = [1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980]
> Plot, TimeArray, MeasurementArray
> axis, xaxis = 0,xticks = 7,xtickn = YearsArray, xtitle =
> 'Yr',xcharsize = 0.9
>
> However, since measurements were only first collected in October 1973,
> dividing the xaxis
> into 8 even parts would not accurately relate the years to the
> Measurements.
>
> I also tried creating another array TimeArrayNew which has the year
> markers (i.e. 1973, 1974 etc)
> placed in the corresponding time slots:

```

>
>   YearsArray = [1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980]
>   YearIndex = where(TimeArray GT 365.86 and TimeArray LT 365.9,
> count)
>   print, 'Count: ', count
>   NumElem = n_elements(Final_Time)
>   TimeArrayNew = intarr(NumElem) ; Initialize Array of size NumElem
> to ZERO
>   TimeArrayNew(YearIndex) = YearsArray
>   Plot, TimeArray, MeasurementArray
>   axis, xaxis = 0, xticks = NumElem-1, xtickn = TimeArrayNew, xtitle
> = 'Yr', xcharsize = 0.9
>
> Note: NumElem equals 55924
> However this yields as an error b/c XTICKN can only have 60 elements:
> ERROR: %Keyword array parameter XTICKNAME must have from 1 to 60 elements.
>
> I'm looking for suggestions on can plot the measurements vs time while
> also indicating the
> corresponding Years along the X Axis:
>
> Thanks
> (please reply to my email address)
>
> p.s. Also could someone suggest a good IDL website for beginners
>
> anilk@mtolympus.ari.net
>
> "Internet or BUST !!"

```

Idl website for beginners:

look at the pages of David Fanning or better get one of his books.
<http://www.dfanning.com/>

The problem with timeaxis is resolved by Ray Sterner.
 He uses a dateformat named Julian Second. He has routines to convert given
 time formats to Julian Seconds. Julian Seconds are seconds since 2000-01-01
 00:00:00.

The JHU/APL/S1R library is on:
http://sd-www.jhuapl.edu/fermi/s1r/idl/s1rlib/local_idl.html

There is a great point about:
 Dealing with time in IDL using the JHU/APL/S1R library.

I myself was pleased about knowing this routines before I started to design

our own dataformat.
We are using for our data this time format.

R.Bauer
