

---

Subject: Re: Displaying isosurface- Hollow images  
Posted by [Karl Schultz](#) on Wed, 12 Jul 2006 17:25:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Wed, 12 Jul 2006 09:24:05 -0700, nivedita.raghunath wrote:

> Hello all,  
>  
> I am trying to perform a surface rendering of a 3-D volume and am  
> having problems in displaying the surface.  
>  
> I used the shade\_volume procedure to get the vertices and polygons and  
> passed these to the IDLgrPolygon object. When I display this, I see a  
> hollow image (almost as if an edge detection algorithm was run on it !)  
>  
>  
> When I display through xobjview it shows me the right image. Without  
> using xobjview, how do I display a complete, 'filled' image ?  
>  
> Have tried all kinds of options !!!  
>  
> Thanks in advance.

It is hard to say what is wrong without seeing all the code you used to display the IDLgrPolygon object without using xobjview.

Are you using the same IDLgrPolygon object in your scene AND for xobjview? With the same property settings? It almost sounds like you have different STYLE property settings for each case, which shouldn't be happening if you are using the same grPolygon object.

How about the QUALITY setting in your grWindow? If set to 0, the polygon will draw as a wireframe instead of solid.

Do you have any IDLgrLights in your scene?

The problem could be any of the above. We could help more if we see some code.

Karl

---