

---

Subject: Re: saving plots as .eps

Posted by [James Tappin](#) on Tue, 19 Oct 1999 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dave Avis wrote:

```
> I am trying to save a 2D scatter plot as a .eps file. My plot is a plot of
> two vectors, for example
>
> plot xvector,yvector
>
> I have looked at online examples and printed documentation and am still
> having problems. I do
>
> set_plot 'ps'
> device,/ENCAPSULATED ;followed by other stuff
>
> My problem comes when trying to use TV or any of its other incarnations
> (TVSCL, TVRD...). It seems to me that they want a 2D array of the pixel
> values of the plot window. I am not sure how to get this array. I may be
> misunderstanding what TV is trying to do, or I may be going about it the
> wrong way, I'm not sure. Any help is most appreciated.
```

Unless I'm missing something in what you are trying to do; surely the best way to do this is just to rerun the same set of plotting commands that generated the original plot. Reading a screen plot as an image and then making a (E)PS file of that will give you a very poor quality output compared with what you get from making the plot directly to the (E)PS file. (A typical IDL window is a few hundred pixels each side, for line plots PostScript describes the line as a vector and the print driver converts it to printer dots typically 3-800 per inch).

If you actually really want a screen dump then you need to run:

```
image=tvrd()
set_plot 'ps'
device,/ENCAPSULATED ;followed by other stuff
tv,image, x0, y0, xsize=xs, ysize=ys
; x0, y0 = lower left corner of image, xs, ys size of image (both in physical
; units)
```

---